

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

---

### SECTION 1. IDENTIFICATION

Product name : Lumiflex™

#### Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

**Manufacturer/importer** : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

**Customer Information Number** : 1-800-258-3033

**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224).  
+1 800-992-5994 or +1 317-337-6009

#### Recommended use of the chemical and restrictions on use

**Recommended use** : Fungicide  
Seed Treatment

**Restrictions on use** : Do not use product for anything outside of the above specified uses.  
For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Eye irritation : Category 2B

#### GHS label elements


™ ® Trademarks of Corteva Agriscience and its affiliated companies.

# SAFETY DATA SHEET

## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

- Hazard pictograms : 
- Signal Word : Warning
- Hazard Statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H320 Causes eye irritation.
- Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing.
- Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.
- Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
ipconazole (ISO)	125225-28-7	40.7
Glycerol	56-81-5	>= 20 - < 25
Balance	Not Assigned	> 25

Actual concentration is withheld as a trade secret

---

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

- General advice : Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.  
Never give anything by mouth to an unconscious person.  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
- If inhaled : Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Remove to fresh air. Give artificial respiration if not breathing.  
Obtain medical attention.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off immediately with soap and plenty of water.  
In the case of skin irritation or allergic reactions see a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If irritation persists, consult a physician or ophthalmologist.
- If swallowed : Get medical attention immediately.  
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Never give anything by mouth to an unconscious person.  
Call a physician or poison control center immediately.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,  
Recovered material should be stored in a vented container.  
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
See Section 13, Disposal Considerations, for additional information.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.  
Avoid exposure - obtain special instructions before use.

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
 Date of first issue: 02/02/2022

Smoking, eating and drinking should be prohibited in the application area.  
 Avoid inhalation of vapor or mist.  
 Do not swallow.  
 Avoid contact with skin and eyes.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Take care to prevent spills, waste and minimize release to the environment.  
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m <sup>3</sup>	OSHA P0

Engineering measures : Ensure adequate ventilation.

Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

#### Personal protective equipment

Respiratory protection : Respiratory protection is required when engineering or administrative control measures are not feasible and inhalation exposure is reasonably likely.

Hand protection

Remarks : Protective gloves Chemical-Resistant  
 Eye protection : Safety glasses with side-shields

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

- Skin and body protection : Wear protective clothing and gloves (goggles or full-face shield, coveralls worn over long-sleeved shirt and long pants, socks, chemical resistant footwear, and waterproof gloves). Remove and wash contaminated clothing before re-use.
- Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.  
Notify workers of the application by warning them orally or by posting warning signs at entrances to treated areas.
- Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.  
Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.  
Remove personal protective equipment immediately after handling this product.
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : beige
- Odor : odorless
- Odor Threshold : not determined
- pH : 7 - 9
- Melting point/range : Not applicable
- Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 230 °F / > 110 °C  
Method: closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available
- Density : 1.09 - 1.13 g/cm<sup>3</sup> (68 °F / 20 °C)

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

Solubility(ies)  
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : 786 - 797 °F / 419 - 425 °C  
Method: Regulation (EC) No. 440/2008, Annex, A.15

Viscosity  
Viscosity, dynamic : 150 - 300 mPa.s (77 °F / 25 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.  
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
None known.

Conditions to avoid : None known.

Incompatible materials : Strong acids  
Strong bases

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): 3,700 - 5,300 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 2.59 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

##### Components:

**ipconazole (ISO):**

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg  
LD50 (Rat, female): 888 mg/kg

### **Glycerol:**

Acute oral toxicity : LD50 (Rat): > 11,500 mg/kg  
Remarks: Excessive exposure may cause:  
Central nervous system effects.  
Observations in humans include:  
Altered blood sugar levels.

Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Symptoms: No deaths occurred following exposure to a saturated atmosphere.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Guinea pig): >= 56,750 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Species : Rabbit  
Result : No skin irritation

#### **Components:**

#### **Glycerol:**

Result : No skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Species : Rabbit  
Result : Mild eye irritation

#### **Components:**

#### **Glycerol:**

Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitization.  
Method : OECD Test Guideline 406



## Lumiflex™

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2023
1.3	03/23/2023	800080006155	Date of first issue: 02/02/2022

---

**Germ cell mutagenicity****Components:****Glycerol:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

**Carcinogenicity****Components:****Glycerol:**

Carcinogenicity - Assessment : For the major component(s);, Did not cause cancer in laboratory animals.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Product:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**Components:****ipconazole (ISO):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant

Experimental studies in animals have provided evidence of embryo/fetotoxicity and birth defects.

**Glycerol:**

Reproductive toxicity - Assessment : Reproductive effects seen in female animals are believed to be due to altered nutritional states resulting from extremely high doses of glycerine given in the diet. Similar effects have been seen in animals fed synthetic diets. Did not cause birth defects or any other fetal effects in laboratory animals.

**STOT-single exposure****Product:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

### Components:

#### **ipconazole (ISO):**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

#### **Glycerol:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### **STOT-repeated exposure**

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Components:

#### **ipconazole (ISO):**

Routes of exposure : Ingestion  
Target Organs : Liver, Eyes, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **ipconazole (ISO):**

Remarks : In animals, effects have been reported on the following organs:  
Liver  
eye effects  
Skin effects

#### **Glycerol:**

Remarks : Excessive exposure to glycerine may cause increased fat levels in blood.

### **Aspiration toxicity**

#### Product:

Based on physical properties, not likely to be an aspiration hazard.

#### Components:

#### **ipconazole (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

## Lumiflex™

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2023
1.3	03/23/2023	800080006155	Date of first issue: 02/02/2022

**Glycerol:**

Based on physical properties, not likely to be an aspiration hazard.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**Components:****ipconazole (ISO):**

Toxicity to fish :

LC50 (Oncorhynchus mykiss (rainbow trout)): 1.53 mg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.73 mg/l  
Exposure time: 96 h

NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1.70 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Glycerol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): >= 885 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Method Not Specified.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,955 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: Method Not Specified.

Toxicity to algae/aquatic plants : EC50 (Other): 2,900 mg/l  
End point: Growth inhibition (cell density reduction)  
Exposure time: 192 h  
Test Type: static test  
Method: Method Not Specified.

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD 209 Test

### Persistence and degradability

#### Components:

##### **Glycerol:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation: 63 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C or Equivalent  
Remarks: 10-day Window: Not applicable

ThOD : 1.22 kg/kg

### Bioaccumulative potential

#### Components:

##### **ipconazole (ISO):**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

##### **Glycerol:**

Partition coefficient: n-octanol/water : log Pow: -1.76 (68 °F / 20 °C)  
Method: Measured  
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

##### **Balance:**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

### Mobility in soil

#### Components:

##### **ipconazole (ISO):**

Distribution among environmental compartments : Remarks: No relevant data found.

##### **Glycerol:**

Distribution among environmental compartments : Koc: 1  
Method: Estimated.  
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).  
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

### **Balance:**

Distribution among environmental compartments : Remarks: No relevant data found.

### **Other adverse effects**

### **Components:**

#### **ipconazole (ISO):**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Glycerol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is readily biodegradable and thus is not considered persistent or very persistent (P or vP).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### **Balance:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.  
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ipconazole)  
Class : 9  
Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Ipconazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ipconazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : Stowage category A

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

# SAFETY DATA SHEET



## Lumiflex™

Version 1.3      Revision Date: 03/23/2023      SDS Number: 800080006155      Date of last issue: 02/07/2023  
Date of first issue: 02/02/2022

---

**SARA 311/312 Hazards** : Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Glycerol

56-81-5

#### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 70506-585-352

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### CAUTION

Harmful if swallowed.

---

## SECTION 16. OTHER INFORMATION

#### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

#### Full text of other abbreviations

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
OSHA P0 / TWA : 8-hour time weighted average  
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensa-

# SAFETY DATA SHEET



## Lumiflex™

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2023
1.3	03/23/2023	800080006155	Date of first issue: 02/02/2022

---

tion, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/23/2023

Product code: SJB-1-1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN